	Ty		Hits	Search Text	DBs	Time Stamp	n	D e	Er ro rs
1	BR S	L1	32	359/649.ccls. and @pd>=20021001	USPAT; US-PGPUB	2003/04/2 3 11:51			0
2	BR S	L2	7	359/650.ccls. and @pd>=20021001	USPAT; US-PGPUB				0
3	BR S	L3	8	359/651.ccls. and @pd>=20021001	USPAT; US-PGPUB	•			0
4	BR S	L4	40	1 or 2 or 3	USPAT; US-PGPUB	2003/04/2 3 11:42			0
5	BR S	L5	10	}	USPAT; US-PGPUB	1			0
6	BR S	L6	2	359/711.ccls. and	USPAT; US-PGPUB				0
7	BR S	L7	10	359/717.ccls. and	USPAT; US-PGPUB	<u> </u>			0
8	BR S	L8	8	i	USPAT; US-PGPUB		<u> </u>		0
9	BR S	L9	26	5 or 6 or 7 or 8	USPAT; US-PGPUB	1			0
10	BR S	L1 0	65	4 or 9	USPAT; US-PGPUB	2003/04/2			0
11	S	1	2801 3	rotat\$4 with tilt\$4	USPAT; US-PGPUB				0
12	BR S	L1 2	2	10 and 11	USPAT; US-PGPUB	2003/04/2			0
13	BR	L1	1165 853	rotat\$4	USPAT; US-PGPUB	2003/04/2	ļ		0
14	BR S	L1 4	23	10 and 13	USPAT; US-PGPUB	2003/04/2			0
15	BR	L1	4481 74	tilt\$4 or inclin\$2 or inclination		2003/04/2			0
16	BR S		10	14 and 17		2003/04/2			0

	,			·····					
	Ty		Hits	Search Text	DBs	Time Stamp	e n	r D e fi n it	Er ro rs
17	S	9	2697 2	aberration\$1	USPAT; US-PGPUB	•			0
18	BR S	U	1	18 and 19	USPAT; US-PGPUB	1			0
19	BR S	; I	•	359/668.ccls. and @pd>=20021001	USPAT; US-PGPUB				0
20	BR S	L2 2	6	21 not 10	USPAT; US-PGPUB				0
21		3	U	11 and 22	USPAT; US-PGPUB	:			0
22	BR S	14	l	13 and 22	USPAT; US-PGPUB	1			0
23	BR S	L2 5	3	17 and 24	USPAT; US-PGPUB	i			0
24	BR S	L2 6	3	19 and 25	USPAT; US-PGPUB				0
25	BR S	L2 7	213	((rotat\$4) near7 (optical adj axis)) same aberration\$1	USPAT; US-PGPUB				0
26	BR S	L2 8	137	17 and 27	USPAT; US-PGPUB				0
27	BR S	_	3693 1	projection near5 (system\$1 or lens\$2 or apparatus)	USPAT; US-PGPUB		***************************************		0
28	BR S	0	71	4 or 9 or 21	US-PGPUB				0
29	BR S	1	ļ	29 and 30	USPAT; US-PGPUB	3 12:33			0
30	BR S	2	14	17 and 31	USPAT; US-PGPUB	3 12:33			0
31	BR S	L3 3	10	19 and 32	USPAT; US-PGPUB				0

	_								
	Ty		Hits	Search Text	DBs	Time Stamp	Comments	r D e fi	Er ro rs
32	BR S	L3 4	5	wafer\$1 and 33	USPAT; US-PGPUB	2003/04/2 3 12:36			0
33	BR S	L3 5	59	((rotat\$4) near7 (optical adj axis)) same aberration\$1	EPO; JPO; DERWENT				0
34	S	6	25	tilt\$4 or inclin\$2 or inclination	EPO; JPO; DERWENT				0
35	BR S	L3 7	9	35 and 36	EPO; JPO; DERWENT				0
36	1	•	3111 3	projection near5 (system\$1 or lens\$2 or apparatus)	EPO; JPO; DERWENT				0
37	BR S	i	1708 06	wafer\$1 or reticle\$1	EPO; JPO; DERWENT				0
38	BR S	L4 0	3724	38 and 39	EPO; JPO; DERWENT				0
39	BR S	L4 2	9	40 and 41	EPO; JPO; DERWENT	;			0
40	BR S	L4 1	415	(tilt\$4 or inclin\$2 or inclination) with aberration\$1	EPO; JPO; DERWENT	:			0
41	BR S	L4 3	1302 71	wafer\$1 or reticle\$1	USPAT; US-PGPUB	2003/04/2 3 12:45			0
42	BR S	L4 4	6843	29 and 43	USPAT; US-PGPUB	2003/04/2 3 12:47			0
43	BR S	L4 5	1587	(tilt\$4 or inclin\$2 or inclination) with aberration\$1	USPAT; US-PGPUB	2003/04/2 3 12:48			0
44	BR S	L4 6	163	44 and 45	USPAT; US-PGPUB	2003/04/2 3 12:46			0
45	BR S	L4 7	6843	29 and 43	USPAT; US-PGPUB	2003/04/2 3 12:47			0

	Ty	L #	Hits	Search Text	DBs	Time Stamp	e fi n it	
46	BR S	L4 8	1587	(tilt\$4 or inclin\$2 or inclination) with aberration\$1	USPAT; US-PGPUB	2003/04/2 3 12:48		0
47	BR S	L4 9	163	47 and 48	USPAT; US-PGPUB	2003/04/2 3 12:48		0